

### 產品詳情 Product Details





產品詳情 Product Details		
		
<b>型號</b> <b>Model No.</b>	RRJW150SFD	RJW120RFL/RJW160RFL
<b>熱水供應量(25°C 升溫 公升/分鐘)</b> <b>Hot Water Supply (25°C Temp. Rise litre/min)</b>	15 公升 15 litre	12 公升/16 公升 12 litre/16 litre
<b>產品尺寸 (毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mmL)</b>	584x350x70	675X370X128
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	機動排氣密封式 Fan Assisted Room-sealed Design	機動排氣密封式 Fan Assisted Room-sealed Design
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出 Back Type	背出 Back Type
<b>顏色</b> <b>Color</b>	白色 White	白色 White
<b>特點</b> <b>Features</b>	1. 自動恆溫，確保水溫穩定 Automatic water temperature modulation 2. 數碼式溫度控制系統，熱水由 37°C 至 60°C (共 15 級選擇) 15 digitally-controlled water temperature settings from 37°C to 60°C	1. 自動恆溫，確保水溫穩定 Automatic water temperature modulation 2. 數碼式溫度控制系統，熱水由 37°C 至 60°C (共 15 級選擇) 15 digitally-controlled water temperature settings from 37°C to 60°C
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only	

\*觀迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.

### 產品詳情 Product Details

		
<b>型號</b> <b>Model No.</b>	RSW120RFL/RSW150RFL	RSW120TFL/RSW150TFL
<b>熱水供應量(25°C 升溫 公升/分鐘)</b> <b>Hot Water Supply (25°C Temp. Rise litre/min)</b>	12 公升/16 公升 12 litre/16 litre	12 公升/15 公升 12 litre/15 litre
<b>產品尺寸 (毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mmL)</b>	675X370X130	675X370X130
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	機動排氣密封式 Fan Assisted Room-sealed Design	機動排氣密封式 Fan Assisted Room-sealed Design
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出 Back Type	頂出 Top Type
<b>顏色</b> <b>Color</b>	白色 White	白色 White
<b>特點</b> <b>Features</b>	1. 自動恆溫，確保水溫穩定 Automatic water temperature modulation 2. 數碼式溫度控制系統，熱水由 37°C 至 60°C (共 15 級選擇) 15 digitally-controlled water temperature settings from 37°C to 60°C	1. 自動恆溫，確保水溫穩定 Automatic water temperature modulation 2. 數碼式溫度控制系統，熱水由 37°C 至 60°C (共 15 級選擇) 15 digitally-controlled water temperature settings from 37°C to 60°C
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only	

\*歡迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.

**產品詳情 Product Details**



<b>型號</b> <b>Model No.</b>	RSW110RF/RSW111TF	RSW10RF/RSW10TF
<b>熱水供應量(25°C 升溫 公升/分鐘)</b> <b>Hot Water Supply (25°C Temp. Rise litre/min)</b>	11 公升 11 litre	10 公升 10 litre
<b>產品尺寸 (毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mmL)</b>	675X370X135	565X330X132
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	機動排氣密封式 Fan Assisted Room-sealed Design	機動排氣密封式 Fan Assisted Room-sealed Design
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出/頂出 Back Type/ Top Type	背出/頂出 Back Type/ Top Type
<b>顏色</b> <b>Color</b>	白色 White	白色 White
<b>特點</b> <b>Features</b>	1. 自動恆溫，確保水溫穩定 Automatic water temperature modulation 2. 全自動打火，操作簡易 Automatic electronic ignition system 3. 數碼式溫度控制系統，熱水由 37°C 至 55°C (共 14 級選擇) 14 digitally-controlled water temperature settings from 37°C to 55°C	1. 全自動打火，操作簡易 Automatic electronic ignition system 2. 5 段火力及水量調節掣 5 flame levels and water volume settings
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only	

\*觀迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.



### 產品詳情 Product Details



<b>型號</b> <b>Model No.</b>	SH166RFL/TFL
<b>熱水供應量(25°C 升溫 公升/分鐘)</b> <b>Hot Water Supply (25°C Temp. Rise litre/min)</b>	16 公升 16 litre
<b>產品尺寸 (毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mmL)</b>	697X380X150
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	室內/強制對衡式 Indoor/Forced Draft Balanced Flue System
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出 / 頂出 Back Type / Top Type
<b>顏色</b> <b>Color</b>	白色 White
<b>特點</b> <b>Features</b>	<ol style="list-style-type: none"> <li>1. 分段火排設計，可自動根據進水溫度進行燃燒，滿足不同季節的水溫要求 A multi-layer combustion design provides the most comfortable temperature for all weather</li> <li>2. 數碼恆溫技術，節能環保 Keep stable water temperature and constant hot water supply</li> <li>3. 備有數碼式 LED 溫度顯示屏，可從 35°C 至 60°C 設定熱水溫度 Water temperature in a range from 35 ° C ~ 60 ° C</li> <li>4. 內置電腦記憶功能，無須每次重新調較 Well equipped with digital display (LED) and temperature memorization system</li> </ol>
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only

\*歡迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.



**產品詳情 Product Details**

		
<b>型號</b> <b>Model No.</b>	SH106RF/TF	SH111RF/TF
<b>熱水供應量(25°C 升溫 公升/分鐘)</b> <b>Hot Water Supply (25°C Temp. Rise litre/min)</b>	10 公升 10 litre	11 公升 11 litre
<b>產品尺寸(毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mmL)</b>	697X380X150	540X350X130
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	室內/強制對衡式 Indoor/Forced Draft Balanced Flue System	室內/強制對衡式 Indoor/Forced Draft Balanced Flue System
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出 / 頂出 Back Type / Top Type	背出 / 頂出 Back Type / Top Type
<b>顏色</b> <b>Color</b>	白色 White	白色 White
<b>特點</b> <b>Features</b>	<ol style="list-style-type: none"> <li>數碼恆溫技術，節能環保 Keep stable water temperature and constant hot water supply</li> <li>備有數碼式 LED 溫度顯示屏，可從 35°C 至 60°C 設定熱水溫度 Water temperature in a range from 37°C~ 60°C</li> <li>內置電腦記憶功能，無須每次重新調較 Well equipped with digital display (LED) and temperature memorization system</li> </ol>	<ol style="list-style-type: none"> <li>數碼恆溫技術，節能環保 Keep stable water temperature and constant hot water supply</li> <li>備有數碼式 LED 溫度顯示屏，可從 35°C 至 60°C 設定熱水溫度 Water temperature in a range from 37°C~ 70°C</li> <li>分段火排設計，可自動根據進水溫度進行燃燒，滿足不同季節的水溫要求 A multi-layer combustion design provides the most comfortable temperature for all weather</li> </ol>
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only	

\*觀迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.



### 產品詳情 Product Details



<b>型號</b> <b>Model No.</b>	SH100ARF/ATF/ARF(S)
<b>熱水供應量(25°C 升溫 公升/分鐘)</b> <b>Hot Water Supply (25°C Temp. Rise litre/min)</b>	10 公升 10 litre
<b>產品尺寸 (毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mL)</b>	570X350X138
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	室內/強制對衡式 Indoor/Forced Draft Balanced Flue System
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出 / 頂出 Back Type / Top Type
<b>顏色</b> <b>Color</b>	白色/銀色 White/ Silver
<b>特點</b> <b>Features</b>	<ol style="list-style-type: none"> <li>1. 數碼恆溫技術，節能環保              Keep stable water temperature and constant hot water supply</li> <li>2. 備有數碼式 LED 溫度顯示屏，可從 35°C 至 60°C 設定熱水溫度              Water temperature in a range from 35 ° C ~ 60 ° C</li> <li>3. 內置電腦記憶功能，無須每次重新調較              Well equipped with digital display (LED) and temperature memorization system</li> </ol>
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only

\*歡迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.

**產品詳情 Product Details**



<b>型號</b> <b>Model No.</b>	SH120ARFL/ATFL/TF/TF(S)
<b>熱水供應量(25°C 升溫 公升/分鐘)</b> <b>Hot Water Supply (25°C Temp. Rise litre/min)</b>	12 公升 12 litre
<b>產品尺寸(毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mmL)</b>	570X350X138
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	室內/強制對衡式 Indoor/Forced Draft Balanced Flue System
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出 / 頂出 Back Type / Top Type
<b>顏色</b> <b>Color</b>	白色/銀色 White/ Silver
<b>特點</b> <b>Features</b>	<ol style="list-style-type: none"> <li>1. 數碼恆溫技術，節能環保 Keep stable water temperature and constant hot water supply</li> <li>2. 備有數碼式 LED 溫度顯示屏，可從 35°C 至 60°C 設定熱水溫度 Water temperature in a range from 35 ° C ~ 60 ° C</li> <li>3. LCD 液晶顯示屏背光更設定於 3 分鐘靜止下自動熄滅，呈休眠狀態，只需一按上下鍵即可再度顯示背光，或開水亦可啟動熱水爐 LCD light will turn off after 3 mins in static mode, re-active the light by press UP/ DOWN, or re-boost the machine by turn on the tap.</li> <li>4. 全自動打火，即開即熱，熱水源源不絕 Auto ignition with instant hot water supply</li> </ol>
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only

\*觀迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.

# CGS

## 產品詳情 Product Details



型號 Model No.	CW-1101RF/TF	CW-10F2RF
熱水供應量 Hot Water Supply	11 公升 11 litre	10 公升 10 litre
產品尺寸 (毫米高 x 毫米闊 x 毫米長) Dimension (mmH x mmW x mmL)	515X330X140	515X330X140
背出 / 頂出 Back Type / Top Type	背出 / 頂出 Back Type / Top Type	背出 Back Type
顏色 Color	白色 White	白色 White
特點 Features	<ol style="list-style-type: none"> <li>1. 熄火安全保護，防乾燒保護，水量穩定裝置，防過熱保護，防倒風及煙道堵塞保護 Flame out protection, dry heat protection, water flow control device, over heat protection, down draft prevention and venting pipe block protection</li> <li>2. 數碼恆溫，溫度調節範圍 36°C 至 60°C Water temperature in a range from 36°C~ 60°C</li> <li>3. 自動分段火排燃燒，環保節能 Keep stable water temperature and constant hot water supply</li> </ol>	<ol style="list-style-type: none"> <li>4. 熄火安全保護，防乾燒保護，水量穩定裝置，防過熱保護，防倒風及煙道堵塞保護 Flame out protection, dry heat protection, water flow control device, over heat protection, down draft prevention and venting pipe block protection</li> <li>5. 數碼恆溫，溫度調節範圍 36°C 至 60°C Water temperature in a range from 36°C~ 60°C</li> <li>6. 自動分段火排燃燒，環保節能 Keep stable water temperature and constant hot water supply</li> </ol>
附註 Remarks	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only	

\*歡迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.



### 產品詳情 Product Details

<b>型號</b> <b>Model No.</b>	YS1002FM	YS1200FM
<b>產品尺寸 (毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mmL)</b>	540X335X135	540X335X135
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	密封平衡式 Blanced Flue	密封平衡式 Blanced Flue
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出 / 頂出 Back Type / Top Type	背出 / 頂出 Back Type / Top Type
<b>顏色</b> <b>Color</b>	黑色 / 白色 Black / White	白色 / 灰色 White / Silver
<b>特點</b> <b>Features</b>	<ol style="list-style-type: none"> <li>1. 防止因氧化問題而產生的銹蝕及變色 Environmental Friendly Anti-Rust Surface</li> <li>2. 可同步調校火力及水量, 靈活控制水溫 Instantaneous Constant Temperature</li> <li>3. 5 段火力調校, 溫度調校隨心所欲 5 Level water and Power Control</li> <li>4. 8 種安全保護裝置 8 Sensitive safety device</li> <li>5. 自我診斷識別功能 Self-Assessment Function</li> </ol>	<ol style="list-style-type: none"> <li>1. 防止因氧化問題而產生的銹蝕及變色 Environmental Friendly Anti-Rust Surface</li> <li>2. 3 段火力, 帶出細緻溫度提升效果 3 Level water and Power Control</li> <li>3. 8 種安全保護裝置 8 Sensitive safety device</li> <li>4. 自我診斷識別功能 Self-Assessment Function</li> </ol>
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only	

\*歡迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考, 如有更改, 恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.

### 產品詳情 Product Details

		
<b>型號</b> <b>Model No.</b>	YS1600FM	YS1201FM/YS1601FM
<b>產品尺寸 (毫米高 x 毫米闊 x 毫米長)</b> <b>Dimension (mmH x mmW x mmL)</b>	600X360X140	586X350X76
<b>排氣方法</b> <b>Methods of Exhaust Ventilation</b>	密封平衡式 Blanced Flue	密封平衡式 Blanced Flue
<b>背出 / 頂出</b> <b>Back Type / Top Type</b>	背出 / 頂出 Back Type / Top Type	背出 / 頂出 Back Type / Top Type
<b>顏色</b> <b>Color</b>	白色 White	白色/灰色 White/ Silver
<b>特點</b> <b>Features</b>	<ol style="list-style-type: none"> <li>一按隨心全電腦化數碼恆溫功能 Digital Instantaneous Constant Temperature</li> <li>3 段火力, 帶出細緻溫度提升效果 3 Level water and Power Control</li> <li>8 種安全保護裝置 8 Sensitive safety device</li> <li>自我診斷識別功能 Self-Assessment Function</li> </ol>	<ol style="list-style-type: none"> <li>防止因氧化問題而產生的銹蝕及變色 Environmental Friendly Anti-Rust Surface</li> <li>一按隨心全電腦化數碼恆溫功能 Digital Instantaneous Constant Temperature</li> <li>8 種安全保護裝置 8 Sensitive safety device</li> <li>自我診斷識別功能 Self-Assessment Function</li> </ol>
<b>附註</b> <b>Remarks</b>	3 年包零件免費保養只適用於住宅用戶 3-year warranty including parts for residential customers only	

\*歡迎客戶親臨蜆殼中央石油氣門市參觀選購或查詢最新爐具資訊。以上資料僅供參考，如有更改，恕不另行通知。

\*Welcome customers come to visit at Shell Gas LPG showroom for purchasing or enquiry. All appliance information are subject to change without notice.